

Q-WS86

 3 Years Warranty

TOUCHLESS HAND WAVE SENSOR EXIT BUTTON



86x86x11.5mm



NO/NC



Panel Tempered glass



Compact Design



Durable Const.
Corrosion resistance.



Easy Installation



PRODUCT DESCRIPTION

The Q-WS86 is a compact and sleek access control device designed with a tempered glass panel, ensuring both durability and an elegant appearance. With a dimension of 86 x 86 x 11.5mm, it is suitable for various installations where space is limited. The device is equipped with NO/NC output contacts, offering flexibility for connection to various control systems. Its LED light indicator shows clear operation status with a blue standby mode and a green operation mode.

The Q-WS86 operates on a DC12-24V input voltage and features a transmit distance of 5-8 cm, providing a secure and user-friendly experience. Tested to withstand up to 1,000,000 cycles in mechanical life, this device is built for long-term reliability. It also has a wide operating temperature range from -10°C to 55°C (14°F to 131°F), making it suitable for various environments. The backlight indicator transitions from blue to green to guide users easily during operation. The device is lightweight, weighing only 0.11kg, and comes with a 3-year warranty for added peace of mind.

PRODUCT ADVANTAGES

Elegant and Durable Design: The tempered glass panel provides a sleek look, suitable for modern spaces, while offering high durability.

Flexible Connectivity: With NO/NC output contacts, the device is compatible with a wide range of control systems.

Q-WS86



PRODUCT ADVANTAGES

Clear LED Indicators: The blue LED indicates standby mode, and the green LED signals active operation, ensuring users can easily identify the device's status.

Wide Voltage Range: Operates on DC12-24V, providing flexibility for different power setups.

Long Lifespan: Tested to endure up to 1,000,000 operations, ensuring long-term usage.

Wide Temperature Range: Designed to function efficiently in both cold and warm environments, ranging from -10°C to 55°C (14°F to 131°F).

Compact and Lightweight: With a slim profile and low weight, it is easy to install and ideal for tight spaces.

Reliable Warranty: Comes with a 3-year warranty, ensuring a worry-free operation and reliability over time.


TECHNICAL SPECIFICATION

Product Parameter	Description Parameter
Model	Q-WS86
Dimension	86x86x11.5mm
Material	Panel Tempered glass
LED Light	Yes, Blue LED Indicator: Standby Green & LED Indicator: Operation
Input Voltage	DC12-24V
Output Contact	NO/NC
Mechanical Life	1000000 tested
Backlight State	-10°C to 55°C (14°F to 131°F)
Operating Humidity	0% to 95% (non-condensing)
Weight	0.15 kg
Design	Economic, cost-effective design
Country of Origin	Malaysia
Certifications	UL, CE
Warranty	3 Years

Q-WS86

3 Years Warranty

DIMENSIONS



WIRE DIAGRAM

