

Q-3108-IZ



3 Years Warranty

METAL TOUCH KEYPAD ACCESS CONTROL

The Q-3108-IZ was developed to address the growing demand for a robust and reliable access control solution that meets modern security challenges. Its waterproof and tamper-resistant design ensures it can operate in a variety of environments, from corporate buildings to outdoor facilities. The luminous touch keypad and multi-identification modes cater to user convenience while maintaining stringent security standards. This solution bridges the gap between advanced technology and practical usability, offering an ideal choice for organizations seeking enhanced control over their access systems.

86x86x60mm



PRODUCT DESCRIPTION

The **Q-3108-IZ** is a metal touch keypad access control terminal designed for secure and versatile access management. Featuring a sleek capacitive touch keypad with luminous backlighting, it is built to withstand challenging environments with its IP68-rated waterproof and anti-puncture metal casing. With multiple identification methods including card and password entry, it ensures seamless integration for indoor and outdoor applications. This device offers Wiegand WG26/34 output for flexible connectivity and supports a user capacity of up to 2,000, making it ideal for medium-sized facilities.

PRODUCT ADVANTAGES

Durable and Weatherproof: The IP68-rated metal casing ensures reliable performance in harsh environmental conditions, including rain, dust, and extreme temperatures.

Enhanced Security Features: Supports card, password, or a combination of both for multi-layered access control.

Luminous Keypad: The backlit keypad allows for easy and accurate operation in low-light environments.

Flexible Connectivity: Wiegand WG26/34 compatibility ensures seamless integration with existing access control systems.

High User Capacity: Stores up to 2,000 users, suitable for offices, residential complexes, or small industrial facilities.

Anti-Tamper Design: Anti-puncture and construction enhances device security and longevity.

Q-3108-IZ



3 Years Warranty

TECHNICAL SPECIFICATIONS

Product Parameter	Description Parameter
Model	Q-3108-IZ
Material	Metal casing with anti-puncture and design
Keypad Type	Capacitive touch keypad with luminous backlighting
IP Rating	IP68-rated for outdoor applications
User Capacity	Up to 2,000 users
Identification Methods	Card, password, or mixed (card + password)
Output Interface	Wiegand WG26/34
Power Consumption	Static current less than 30mA
Response Time	Less than 0.1 seconds for door relay control
Dimensions	86mm x 86mm, 60mm mounting hole pitch (standard size)
LED Indicator	Dual-color LED for status indication
Installation	Suitable for wall-mounting in indoor and outdoor environments
Applications	Designed for secure access in offices, residential buildings, and industrial facilities.
IP Rating	IP68
Warranty	3 Years
Country of Origin	Malaysia
Certifications	UL, CE

Q-3108-IZ



3 Years Warranty

DIMENSIONS

